

EPSON PROJECTOR PRICE LIST JAN 2019

AONE PLUS SUPPLIES & SERVICES SDN BHD

RETAIL: PJ 514 DIGITAL MALL +603 7957 7355 SHAH ALAM ALAM SENTRA +603 5510 8922 OFFICE: KLANG SETIA ALAM +603 3359 7355  
 EMAIL: enquiry@aoneplus.com WEB: www.aoneplus.com

Price Subject to be changed without prior notice while stock lasts. Please contact us to get the latest Price!!

Category	Description	Reso (dpi)	Size	ppm / cpm	Ink	Extra	SRP
	EB-S41 (Soft Carrying Case)	SVGA, 3300 lumens, 6,000 Lamp Hours, 15,000:1 Contrast Ratio, 2.5kg, 2W Mono Speaker, 3 in 1 USB Display, USB A & B port, HDMI Port, Optional Wireless, Home Screen, Multi-PC Projection					1,420
	EB-X05 (Soft Carrying Case)	XGA, 3300 lumens, 6,000 Lamp Hours, 15,000:1 Contrast Ratio, 2.5kg, 2W Mono Speaker, 3 in 1 USB Display, USB A & B port, HDMI Port, Optional Wireless, Home Screen, Multi-PC Projection					1,730
	EB-X41 (Soft Carrying Case)	XGA, 3600 lumens, 6,000 Lamp Hours, 15,000:1 Contrast Ratio, 2.5kg, 2W Mono Speaker, 3 in 1 USB Display, USB A & B port, HDMI Port, Optional Wireless, Home Screen, Multi-PC Projection					2,000
	EB-W05 (Soft Carrying Case)	WXGA, 3300 lumens, 6,000 Lamp Hours, 15,000:1 Contrast Ratio, 2.5kg, 2W Mono Speaker, 3 in 1 USB Display, USB A & B port, HDMI Port, Optional Wireless, Home Screen, Multi-PC Projection					2,170
	EB-W41 (Soft Carrying Case)	WXGA, 3600 lumens, 6,000 Lamp Hours, 15,000:1 Contrast Ratio, 2.5kg, 2W Monaural Speaker, 3 in 1 USB Display, USB A & B port, HDMI Port, Optional Wireless, Home Screen, Multi-PC Projection					2,583
	EB-970 (Soft Carrying Case)	XGA, 4000 lumens, 6,000 Lamp Hours, 15,000:1 Contrast Ratio, 3kg, 16W Speaker, HDMI port x 2 (1 with MHL enable), RS232, Auto Keystone Correction, USB Display, USB Memory, Optional Wireless, Multi-PC Projection, Split Screen					3,990
	EB-980W (Replacement model for EB-955WH)	WXGA, 3800 lumens, 6,000 Lamp Hours, 15,000:1 Contrast Ratio, 3.1kg, 16W Speaker, HDMI port x 2 (1 with MHL enable), RS232, Auto Keystone Correction, USB Display, USB Memory, Optional Wireless, Multi-PC Projection, Split Screen					4,200
	EB-1785W (Mobile)	WXGA, 3200 lumens, 4,000 Lamp Hours, 10,000:1 Contrast Ratio, 1.81kg, Realtime Auto H&V Keystone Correction, Built-In Wireless, Split Screen, Wireless Mirroring Projection, Gesture Presenter					4,100
	EB-530 (Short Throw) - Corp/Gov Model	XGA, 3200 lumens, 5,000 Lamp Hours, 16,000:1 Contrast Ratio, 3.7kg, HDMI, 16W speaker, Optional Wireless, RJ45					3,100
	EB-535W (Short-Throw)	WXGA, 3400 lumens, 10,000 Lamp Hours, 16,000:1 Contrast Ratio, 3.7kg, 16W speaker, Optional Wireless					4,400
	EV-105 LIGHTING PROJECTOR (BLACK)	WXGA, 2000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 7kg, USB A & B port, HDMI Port, SD Card slot, Wired LAN Projection, Built-in Wireless, Spotlight Enable, Portrait Projection, 360 Degree Projection, Keystone Correction, Edge Blending, Epson Projector Content Manager					10,500
	EB-536Wi (Short Throw Interactive)	WXGA, 3,400 lumens, 10,000 Lamp Hours, 16,000:1 Contrast Ratio, 3.9kg, 16W Speaker, Single Interactive Pen, Network Monitoring & Control, Optional Wireless, iProjection.					6,780
	EB-685W (Ultra Short-Throw) - Replacement model for EB-585W	WXGA, 3500 lumens, 10,000 Lamp Hours, 14,000:1 Contrast Ratio, 16W Speaker, Optional Wireless					6,135
	EB695Wi (Finger_Touch Ultra-Short Throw Interactive)	WXGA, 3500 lumen, 10,000 Lamp Hours, 14,000:1 Contrast Ratio, 5.8kg, 16W Speaker, Dual Interactive Pen, Finger-Touch, Split Screen, iProjection.					10,440

## PROJECTOR

EB-1450Ui ( Ultra-Short Throw Interactive)	WUXGA, 3,800 lumen, 70"-100" screen size ( 40.5cm- 59.3cm Projected Distance), 10,000 Lamp Hours, 16,000:1 Contrast Ratio, 8.4kg , Finger Touch Interactive, Dual Interactive Pen, Whiteboard Sharing, Multi PC Projection, bundled with ELPAPA10	<b>14,620</b>
EB-700U (Laser Ultra-Short Throw )	WUXGA, 4,000 lumen, 70"-130" screen size ( 40.5cm- 78.1cm Projected Distance), 20,000 Hours, 2,500,000:1 Contrast Ratio, 11kg	<b>13,570</b>
EB-L510U (Business Laser)	WUXGA, 5,000 lumen, 20,000 Hours, 2,500,000:1 Contrast Ratio, 1-1.6x Zoom Ratio,Vertical/Horizontal Keystone - +-30%, Split Screen, HD BaseT,360 degrees Projection iProjection, 10W Monoaural Sound Output,8.5kg	<b>19,000</b>
EB - L610W (Business Laser)	WXGA, 6,000 lumen, 20,000 Hours, 2,500,000:1 Contrast Ratio, 8.5kg , 1-1.6x Zoom Ratio,Vertical/Horizontal Keystone - +-30%, Split Screen, HD BaseT, 360 degrees Projection, iProjection, 10W Monoaural Sound Output	<b>16,000</b>
EB-L610U (Business Laser)	WUXGA, 6,000 lumen, 20,000 Hours, 2,500,000:1 Contrast Ratio,1-1.6x Zoom Ratio,Vertical/Horizontal Keystone - +-30%, Split Screen, HD BaseT, 360 degrees Projection, iProjection, Built-in Wireless, 10W Monoaural Sound Output, 8.5kg	<b>22,000</b>
EB1470Ui (Laser Ultra-Short)	WUXGA, 4,000 lumen, 70"-100" screen size ( 40.5cm- 59.3cm Projected Distance), 20,000 Hours, 2,500,000:1 Contrast Ratio, 11.4kg , Finger Touch Interactive, Dual Interactive Pen, Whiteboard Sharing, Multi PC Projection, bundled with ELPAPA10	<b>18,800</b>
EB-2142W	WXGA, 4,200 lumens, 12,000 Lamp Hours, 15,000:1 Contrast Ratio, 3.1kg, Optional Wireless Presentation, Auto Horizontal Keystone Correction	<b>4,900</b>
EB-2055	XGA, 5,000 lumens, 10,000 Lamp Hours, 15,000:1 Contrast Ratio, 4.3kg, Auto Horizontal & Vertical Keystone Correction, Wired LAN Projection, Optional Wireless Presentation, Multi PC Projection	<b>5,430</b>
EB-2165W	WXGA, 5,500 lumens, 10,000 Lamp Hours, 15,000:1 Contrast Ratio, 4.7kg, Wireless Mirroring Projection, Optional Wireless Presentation, Auto Horizontal & Vertical Keystone Correction, Multi-PC Projection	<b>7,310</b>
EB-2255U	WUXGA, 5,000 lumens, 10,000 Lamp Hours, 15,000:1 Contrast Ratio, 4.7kg, Wireless Mirroring Projection,Optional Wireless Presentation, Auto Horizontal & Vertical Keystone Correction, Multi-PC Projection	<b>9,330</b>
EB-G7100NL	XGA, 6,500 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>16,800</b>
EB-G7100	XGA, 6,500 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>18,200</b>
EB-G7000WNL	WXGA, 6,500 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>18,720</b>
EB-G7200WNL	WXGA, 7,500 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>20,360</b>
EB-G7400UNL	WUXGA, 5,500 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, 4K Enhancement , Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>18,490</b>

EB-G7905UNL	WUXGA, 7,000 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, 4K Enhancement , Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>25,480</b>
EB-G7805NL	XGA, 8,000 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>23,400</b>
EB-G7805	XGA, 8,000 lumens, 4,000 Lamp Hours, 50,000:1 Contrast Ratio, 12.9 kg, Split Screen, Super-resolution & Detail Enhancement, Quick Corner, Curved Surface, Corner Wall & Point Correction, Frame Interpolation, Lense Shift, Wired LAN Projection & Network Monitoring & Network Control	<b>24,960</b>
EB-L1100UNL	WUXGA, 6,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 20.1 kg, 4K Enhancement , Super-resolution & Detail Enhancement, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>47,480</b>
EB-L1200UNL	WUXGA, 7,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 20.6 kg, 4K Enhancement , Super-resolution & Detail Enhancement, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>62,400</b>
EB-L1200U	WUXGA, 7,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 20.6 kg, 4K Enhancement , Super-resolution & Detail Enhancement, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>66,560</b>
EB-L1405UNL	WUXGA, 8,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 20.6 kg, 4K Enhancement , Super-resolution & Detail Enhancement, DMX Art-Net Support, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>76,960</b>
EB-L1405U	WUXGA, 8,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 20.6 kg, 4K Enhancement , Super-resolution & Detail Enhancement, DMX Art-Net Support, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>81,120</b>
EB-L1505UHNL	WUXGA, 12,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 23.7 kg, 4K Enhancement , Super-resolution & Detail Enhancement, DMX Artnet Support, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>101,920</b>
EB-L1755UNL (No Lense)	WUXGA, 15,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 22.3 kg, 4K Enhancement , Super-resolution & Detail Enhancement, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>135,200</b>
EB-L1715SNL (No Lense)	SXGA, 15,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 22.3 kg, 4K Enhancement , Super-resolution & Detail Enhancement, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>89,440</b>
EB-L25000U	WUXGA, 25,000 lumens, 20,000 Hours, 2,500,000:1 Contrast Ratio, 65.6 kg, 4K Enhancement , Super-resolution & Detail Enhancement, DMX Artnet Support, Curved Surface & Corner Wall Projection, Motorised Lense, Wired LAN Projection & Network Monitoring & Network Control	<b>416,000</b>
EB-Z9800W	WXGA, 8300 lumens, 3,000 Lamp Hours, 15000:1 Contrast Ratio, 25kg, Dual Lamps, Support 360 Degree Presentation, Edge-Blending, Portrait Projection, Arc Correction, Point Correction, Super Resolution Technology, 7 Optional Lenses	<b>35,360</b>
EB-Z11000 ( With Lense Model)	XGA, 11000 lumens, 2,000 Lamp Hours, 15000:1 Contrast Ratio, 26kg, Dual Lamps, Support 360 Degree Presentation, Edge-Blending, Portrait Projection, Arc Correction, Point Correction, Lamp Select & Relay, Split Screen, Hybrid Cooling System, Super Resolution Technology	<b>47,840</b>
EB-Z11000W	WXGA, 11000 lumens, 2,000 Lamp Hours, 15000:1 Contrast Ratio, 26kg, Dual Lamps, Support 360 Degree Presentation, Edge-Blending, Portrait Projection, Arc Correction, Point Correction, Lamp Select & Relay, Split Screen, Hybrid Cooling System, Super Resolution Technology	<b>56,160</b>

	EB-Z9870U	WUXGA, 8700 lumens, 2,500 Lamp Hours , 15000:1 Contrast Ratio, 26kg, Dual Lamps, Support 360 Degree Presentation, Edge-Blending, Portrait Projection, Arc Correction, Point Correction, Lamp Select & Relay, Split Screen, Super Resolution Technology	<b>52,000</b>
	EB-Z10000U	WUXGA, 10000 lumens, 2,000 Lamp Hours , 15000:1 Contrast Ratio, 26kg, Dual Lamps, Support 360 Degree Presentation, Edge-Blending, Portrait Projection, Arc Correction, Point Correction, Lamp Select & Relay, Split Screen, Hybrid Cooling System, Super Resolution Technology	<b>65,520</b>